

SMILE-VISION

Laboratory Services

143 California St. Newton MA 02458
 Telephone 800-634-3480 Fax 617-924-8163
 E-mail info@smilevision.net
 Reg. Texas Dental lab #3302
 SC Lic.# DT.515 ; KY Lic.# L0016

Doctor _____

Patient _____ Date _____

Street _____

Phone _____ Due Date _____

City _____ State _____ Zip _____

Return UPS Gnd. 2nd day Overnight Other

Please circle the appropriate items

Items shipped with this case

Counter Model	Master Impression	Shade Tab	Bite Registration	Metal Articulator	Study Model
---------------	-------------------	-----------	-------------------	-------------------	-------------

Teeth to Be Restored

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16
 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17

<u>Please circle your choice(s)</u>	<i>IPS e.max</i>	<i>Celtra</i>	<i>Zirconia</i>	<i>Layered</i>	<i>Monolithic</i>
	<i>Radica OverTemps</i>	<i>Long-Term Temps</i>	<i>Full cast</i>	<i>PFM</i>	<i>Implant Abutment</i>

Articulation: Plastic hinge Metal hinge Denar Hanau Artex Panadent Stratos Whip-Mix Sam 3

Please Return: Single units Splint Completed Frame only Bis Bake


Alloys: 50% gold 88% gold

Templates: Wax-up Template and prep guide Prepare teeth on duplicate model Imaging date _____

Texture: Heavily defined Moderate Light Smooth

To send digital scans find Smile-Vision at:
 Itero– Smile-Vision Inc. #4592
 Cerec Connect– Smile-Vision Inc. Zip
 Zip: 02458
 Trios – Enter “connect” email:
 David@digital-milling.com

Shade



Additional Instructions: ↓

License: _____ Dr. Signature _____ Date _____

Smile-Vision Implant Checklist

Please fill out in addition to lab RX when sending implant cases

Tooth (implant) #	Implant brand	Implant type	Implant table diameter

- Use enclosed implant parts provided by doctor
 Please order all necessary implant parts

Current soft tissue formation: (Check on left)

- Stock healing cap
 Custom temporary healing cap / abutment

Please fabricate: (check on left)

- CAD/ CAM titanium custom implant abutment
 CAD/ CAM Zirconia custom implant abutment- Shade _____
 Cast gold hand milled custom implant abutment
 Modified stock titanium implant abutment
 Modified stock Zirconia implant abutment

Implant abutment design specifics:

Place margins _____ mm below / above height of soft tissue.
 Additional notes:

Implant manufacturers contact information:

Ace Surgical	800-441-3100	www.acesurgical.com
Bicon	800-882-4266	www.bicon.com
Bio Horizons	888-246-8338	www.biohorizons.com
Biomet 3i	800-342-5454	www.3ionline.com
Dentsply Implants	800-531-3481	http://www.dentsplyimplants.us/
Implant Direct	888-649-6425	www.implantdirect.com
Lifecore	866-902-9272	www.keystonedental.com
Nobel Biocare	800-993-8100	www.nobelbiocare.com
Straumann	800-448-8168	www.straumannusa.com
Zimmer Dental	800-854-7019	www.zimmerdental.com

Smile-Vision Laboratory Services

143 California St. Newton, MA 02458

Phone: 800-634-3480 E-mail: Jonb@smilevision.net www.smilevision.net